L Number	Hits	Search Text	DB	Time stamp
- Natibel	72465	underground	USPAT;	2002/04/27
	,2100	and 2 g 2 d and	US-PGPUB;	22:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	42	(loading adj rate) and underground	USPAT;	2002/04/25
			US-PGPUB;	16:48
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2	(loading adj rate) with underground	USPAT;	2002/04/27
			US-PGPUB;	22:41
			EPO; JPO;	
			DERWENT;	
	1201	landing add make	IBM_TDB	2222/24/27
-	1281	loading adj rate	USPAT;	2002/04/27
}			US-PGPUB; EPO; JPO;	22:44
			DERWENT;	
			IBM TDB	
-	623	abutment adj pressure	USPAT;	2002/04/27
			US-PGPUB;	23:39
			EPO; JPO;	
1			DERWENT;	
_	110	underground with mine with (support or	IBM_TDB USPAT;	2002/04/27
	110	supporting) with (system or systems)	US-PGPUB;	22:40
		cuppercing, with (system of systems)	EPO; JPO;	22.10
			DERWENT;	
1			IBM_TDB	
-	1	(underground with mine with (support or	USPAT;	2002/04/27
		supporting) with (system or systems)) and (loading adj rate)	US-PGPUB;	22:41
		(loading adj face)	EPO; JPO; DERWENT;	
			IBM TDB	
i –	12070	abutment with pressure	USPAT;	2002/04/27
		-	US-PGPUB;	22:44
			EPO; JPO;	
			DERWENT;	
	55	(aboutment with massages) and (mine with	IBM_TDB	2002/04/27
	33	<pre>(abutment with pressure) and (mine with (support or supporting))</pre>	USPAT; US-PGPUB;	2002/04/27
		(Support of Supporting,)	EPO; JPO;	23.32
	1		DERWENT;	1
			IBM_TDB	
_	145	(abutment with pressure) and mine	USPAT;	2002/04/27
			US-PGPUB;	22:46
			EPO; JPO; DERWENT;	
			IBM TDB	
_	154	(abutment with pressure) and ((load or	USPAT;	2002/04/27
	]	loading) with (sensor or sensing or	US-PGPUB;	22:48
		sensory))	EPO; JPO;	
			DERWENT;	
	70	//abutment with programs) and //land	IBM_TDB	2002/04/27
_	79	((abutment with pressure) and ((load or loading) with (sensor or sensing or	USPAT; US-PGPUB;	2002/04/27 22:50
		sensory))) and (alert or dangerous or	EPO; JPO;	22.30
		warn or warning or detect or detecting	DERWENT;	
		determine or determining)	IBM_TDB	
-	1	(((abutment with pressure) and ((load or	USPĀT;	2002/04/27
		loading) with (sensor or sensing or	US-PGPUB;	22:52
		sensory))) and (alert or dangerous or	EPO; JPO;	
		warn or warning or detect or detecting determine or determining)) and	DERWENT;	
		(underground or mine)	IBM_TDB	
	I			

r		T		
		<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/27 23:31
-	1	"5302056".PN.	USPAT	2002/04/27 23:27
-	1	"5205176".PN.	USPAT	2002/04/27
-	1	"5176473".PN.	USPAT	2002/04/27
-	1	"5029943".PN.	USPAT	2002/04/27
-	1	"4946315".PN.	USPAT	2002/04/27
-	48218	(load or loading) with (rate or rates)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:32
_	5	<pre>((load or loading) with (rate or rates)) and ((mine or mining) with (support or supporting) with (system or systems))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:35
-	20	<pre>((load or loading) with (rate or rates)) and ((abutment with pressure) and (support or supporting) with (system or systems))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:36
_	4	<pre>(((load or loading) with (rate or rates)) and ((abutment with pressure) and (support or supporting) with (system or systems))) and (loading with rate)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:37
-	1281	loading adj rate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:44
_	331	(loading adj rate) and (monitor or monitoring or detect or detecting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:45
-	216	((loading adj rate) and (monitor or monitoring or detect or detecting)) and (pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:45
-	123	<pre>( ((loading adj rate) and (monitor or monitoring or detect or detecting)) and ( pressure)) and (sensors or sensory or sensing)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:46
-	1	(( ((loading adj rate) and (monitor or monitoring or detect or detecting)) and (pressure)) and (warn or warning or alert or alerting)) and (mine or mining)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/27 23:46

-	1	(( ((loading adj rate) and (monitor or	USPAT;	2002/04/27
		monitoring or detect or detecting)) and (pressure)) and (warn or warning or alert	US-PGPUB;	23:43
		or alerting)) and (roof)	EPO; JPO; DERWENT;	
	ŀ	or arcraing,, and (1001)	IBM TDB	
-	1	(( ((loading adj rate) and (monitor or	USPAT;	2002/04/27
		monitoring or detect or detecting)) and (	US-PGPUB;	23:43
		pressure)) and (warn or warning or alert	EPO; JPO;	
		or alerting)) and (support adj systems)	DERWENT;	
	1516	looding odi (mate on mater)	IBM_TDB	0000 (04 (07
-	1316	loading adj (rate or rates),	USPAT; US-PGPUB;	2002/04/27
			EPO; JPO;	23:44
			DERWENT;	
į			IBM TDB	
-	387	(= : :: == : )	USPAT;	2002/04/27
		(monitor or monitoring or detect or	US-PGPUB;	23:45
		detecting)	EPO; JPO;	
			DERWENT;	
_	253	((loading adj (rate or rates)) and	IBM_TDB USPAT:	2002/04/27
	233	(monitor or monitoring or detect or	USPAT; US-PGPUB;	2002/04/27
		detecting)) and (pressure)	EPO; JPO;	23.33
	1	,	DERWENT;	
	1		IBM_TDB	
-	142		USPAT;	2002/04/27
	1	(monitor or monitoring or detect or	US-PGPUB;	23:46
İ	İ.	detecting)) and (pressure)) and (sensors	EPO; JPO;	
		or sensory or sensing)	DERWENT;	
_	41	((((loading adj (rate or rates)) and	IBM_TDB USPAT;	2002/04/27
	1	(monitor or monitoring or detect or	US-PGPUB;	23:48
	1	detecting)) and (pressure)) and (sensors	EPO; JPO;	23.10
ļ		or sensory or sensing)) and (warn or	DERWENT;	
		warning or alert or alerting)	IBM_TDB	
-	40	1 ( ((=================================	USPAT;	2002/04/27
		monitoring or detect or detecting)) and (	US-PGPUB;	23:52
		pressure)) and (warn or warning or alert or alerting)	EPO; JPO; DERWENT;	
		or arerung,	IBM TDB	
_	2	(abutment adj pressure) with (support adj	USPAT;	2002/04/27
		systems)	US-PGPUB;	23:55
			EPO; JPO;	
			DERWENT;	
	600		IBM_TDB	
-	623	(abutment adj pressure)	USPAT;	2002/04/27
!			US-PGPUB; EPO; JPO;	23:56
			DERWENT;	
			IBM TDB	
<del>-</del>	3	((abutment adj pressure) ) with withstand	USPĀT;	2002/04/27
,			US-PGPUB;	23:57
			EPO; JPO;	
		•	DERWENT;	
	27064	(support adj (system or systems))	IBM_TDB USPAT;	2002/04/27
	27004	(support ad) (system or systems))	US-PGPUB;	23:58
			EPO; JPO;	23.30
			DERWENT;	
			IBM_TDB	
-	115	((support adj (system or systems))) and	USPĀT;	2002/04/28
		(loading with (rate or rates))	US-PGPUB;	00:00
			EPO; JPO;	
		,	DERWENT;	
_	3693	((support adj (system or systems))) and	IBM_TDB USPAT;	2002/04/28
		(loading)	US-PGPUB;	00:01
1			EPO; JPO;	
ļ			DERWENT;	
			IBM TDB	

-	8187	((support adj (system or systems))) and	USPAT;	2002/04/28
		(loading or load or loads)	US-PGPUB;	00:01
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	1676	(((support adj (system or systems))) and	USPAT;	2002/04/28
		(loading or load or loads)) and (sensory	US-PGPUB;	00:02
		or sensing or sensor or sensors)	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
i -	46	((((support adj (system or systems))) and	USPAT;	2002/04/28
		(loading or load or loads)) and (sensory	US-PGPUB;	00:02
Ī		or sensing or sensor or sensors)) and	EPO; JPO;	**.**
İ		(loading with (rate or rates))	DERWENT;	
		(1000)	IBM TDB	
_	362	((((support adj (system or systems))) and	USPAT;	2002/04/28
		(loading or load or loads)) and (sensory	US-PGPUB;	00:03
		or sensing or sensor or sensors)) and	EPO; JPO;	00.03
		(warning or warn or alert or alarm)	DERWENT;	
		(warming of warm of affect of afaim)	IBM TDB	
_	212	(((((support adj (system or systems)))	USPAT;	2002/04/28
	212	and (loading or load or loads)) and	US-PGPUB;	00:03
		(sensory or sensing or sensor or	1	00:03
		sensors)) and (warning or warn or alert	EPO; JPO;	
}			DERWENT;	į
1_	198	or alarm)) and (pressure)	IBM_TDB	2002/04/00
	190	((((((support adj (system or systems)))	USPAT;	2002/04/28
		and (loading or load or loads)) and	US-PGPUB;	00:04
	1	(sensory or sensing or sensor or	EPO; JPO;	
		sensors)) and (warning or warn or alert	DERWENT;	[
		or alarm)) and (pressure)) and (changes	IBM_TDB	
	73	or change)		
-	73	(((((((support adj (system or systems)))	USPAT;	2002/04/28
		and (loading or load or loads)) and	US-PGPUB;	00:05
	1	(sensory or sensing or sensor or	EPO; JPO;	
		sensors)) and (warning or warn or alert	DERWENT;	
		or alarm)) and (pressure)) and (changes	IBM_TDB	
1		or change)) and (mine or mining or		
		building or roof)		
-	19	(((((((support adj (system or systems)))	USPAT;	2002/04/28
		and (loading or load or loads)) and	US-PGPUB;	00:11
		(sensory or sensing or sensor or	EPO; JPO;	
		sensors)) and (warning or warn or alert	DERWENT;	i
		or alarm)) and (pressure)) and (changes	IBM_TDB	
		or change)) and (mine or mining or		
		building or roof)) and (withstand)		
-	15	((((((((support adj (system or	USPAT;	2002/04/28
		systems))) and (loading or load or	US-PGPUB;	00:11
		loads)) and (sensory or sensing or sensor	EPO; JPO;	
		or sensors)) and (warning or warn or	DERWENT;	
		alert or alarm)) and (pressure)) and	IBM_TDB	
		(changes or change)) and (mine or mining		
		or building or roof)) and (withstand))		
		and (force or forces)		
-	3	4581712.pn.	USPAT;	2002/05/01
			US-PGPUB;	15:00
			EPO; JPO;	
	1		DERWENT;	
1			IBM TDB	1
-	2	5029943.pn.	USPAT;	2002/05/01
		-	US-PGPUB;	14:42
İ			EPO; JPO;	
	j t		DERWENT;	!
			IBM TDB	
-	3	4514905.pn.	USPAT;	2002/05/01
			US-PGPUB;	14:43
		·	EPO; JPO;	
			DERWENT;	i
			IBM TDB	

-	2	4887935.pn.	USPAT;	2002/05/01
			US-PGPUB;	14:44
1			EPO; JPO;	
Ì			DERWENT;	
			IBM TDB	1
-	3	4453846.pn.	USPAT;	2002/05/01
			US-PGPUB;	14:45
			EPO; JPO;	
	1		DERWENT;	
	_		IBM_TDB	
-	3	4913499.pn.	USPAT;	2002/05/01
			US-PGPUB;	14:45
			EPO; JPO;	
			DERWENT;	
			IBM TDB	